



MAXIMUM KEYLESS SECURITY



C Series Cabinet Locks



M-210EZ
No Drilling Required

3000 Series



1000 Series



E-DIGITAL
ELECTRONIC DEADBOLT LOCK
Electronic Lock

Over 35 Years
of continuous
development

Guaranteed for
a Lifetime



The ORIGINAL
Digital Door
Lock

www.KeylessEntryLocks.com

Mechanical Keyless Access Security THE ORIGINAL Digital Door Lock



All Keyless Locks:

- Lifetime warranty
- Bump proof
- Teflon coated
- Fits all doors 1 3/8" - 2 1/4"
- Covers 2 1/8" hole
- Heavy Duty
- Mechanical pick proof lock
- Easy changeable combination
- Changeable handing
- Weather resistant

The 2000 series locks have over 35 years of development, making our Original Digital Door Lock the most reliable mechanical push button lock on the market today.

Dimensions	Wide	Tall	Thick
Lock unit	1 3/8"	5 3/4"	1 7/16"
with trimplate	2 1/2"	6 1/2"	1 1/2"
Key override knob	1 3/4"	5 3/4"	1 3/8"



Outside body of all 2000 series



Outside body key override option



Order#: KO (key override)

2000 Series - The Original

Short Bar Long Bar



2200 Surface Rim Deadbolt

- 4 layer laminated steel throwbolt
- Includes long & short bar
- Narrow style doors
- Aluminum store front
- Cabinet / Lockers

Finish: AB BB SC WH JB RD SN

Order#: 2200

Order#: 2200 KO (key override)

Dimensions	Wide	Tall	Thick
Lock Unit	1 3/8"	5 3/4"	1 3/8"
With Trimplate	2"	6"	1 11/16"
Throw	Short 3/4"	Long 2 1/4"	



2500 Surface Hook Bolt

- For sliding doors
- Narrow style
- Mortise or surface strike plate, great for sliding doors, gate, or doorwalls

Finish: AB BB SC SN JB WH

Order#: 2500

Order#: 2500 KO (key override)

Dimensions	Wide	Tall	Thick	Throw
Lock Unit	1 3/8"	5 3/4"	1 3/8"	3/4"
With Trimplate	2"	6"	1 11/16"	



2230 Janitor Function

- Covers 2 1/4" hole
- Locks every time door closes
- Can not keep unlocked
- Dead locking spring latch

Finish: AB BB SC SN JB

Order#: 2230

Order#: 2230 KO (key override)



2435 Short Lever

- Covers 2 1/4" hole
- Short lever inside
- Hold open feature to unlock
- Dead locking spring latch
- Replaces door knob
- Great for any door

Finish: AB BB SC SN JB

Order#: 2435

Order#: 2435 KO (key override)

2210 Deadbolt Security

2210 Full 1" throw mortise deadbolt



Inside body

Finish: AB BB SC SN
BC JB WH OB

Order#: 2210

Order#: 2210KO (key override)

- Covers 2 1/4" hole
- Mechanical Deadbolt Security
- Easy to install
- Changeable combination
- Replaces existing deadbolt
- 2 3/8" (std) 2 3/4" or adjustable

The 2210 1" Deadbolt gives you the deadbolt security you need. For new installation or takes place of existing deadbolt. Installs in minutes. Trim plate will cover 2 1/4" deadbolt hole.

2835 Lever/Passage

Outside



Inside



- Covers 2 1/4" hole
- Takes place of door knob
- Changeable Handing
- Passage function
- Stylish elegance

Finish: AB BB SC SN JB
BC WH OB MG

Order#: 2835





Turtle Back



- Easy installation
- Limited warranty
- Regulate closing speed
- No strain on latches and hinges
- Suitable for gates up to 150 lbs.

Order#: TB100

Hydraulic Gate Closers / Hinges

Garden Gate Closer



- Simple to fit
- Minimal maintenance
- Suitable for left or right handed gates
- Automatic close function
- Suitable for timber or metal gates up to 110 lbs.
- Adjustable closing speed
- Hold open function

Order#: TB175

Easy Pedestrian Gate Closer



- Easy fit to timber or steel gates
- Unbelievably quiet operation
- No clockwork mechanisms
- Pre-set controlled closing speed
- Low opening hand forces
- Robust construction
- Suitable for gates up to 175 lbs.

Order#: TB350

TruClose Heavy Duty - Alignment Legs



- Adjustable closing force
- Stainless steel metal parts - no rust
- Automatic close function
- Fits metal, timber or vinyl gates
- 1000,000 cycle rating
- For heavy duty commercial use
- Suitable for gates up to 132 lbs.

Order#: TB75

The ORIGINAL Digital Door Lock

www.lockeyusa.com



116 W. Michigan St.
Mt. Pleasant, MI 48858

MAXIMUM KEYLESS SECURITY

(989) 773-2363
Fax (989) 772-1936

Door Closers

Full Cover

Grade 1

- Grade 1 certified, ANSI/BHMA A156.4
 - UL listed complies with UL10C for positive pressure
 - Aluminum alloy shell
 - Non-handed - full cover
 - Three independent regulating valves - control sweep and latch closing speeds, also backcheck cushion
 - Tri packed- regular pull side, top jamb, parallel arm
 - Supplied with both wood and machine screws
 - 25 year manufacturers warranty
- Order # TC4361 AL (Aluminum)
Order # TC4361 DU-(Duronotic)
Hole Pattern - 7 1/2" x 1"



Grade 1

- Grade 1 certified, ANSI/BHMA A156.4
 - UL listed compliant UL10C for positive pressure
 - Aluminum alloy body
 - Non-handed-reversible
 - Two independent valves control sweep and latch closing speeds - backcheck optional
 - Packed standard for regular & top jamb mounting
 - Supplied with both wood and machine screws
 - 25 year manufacturers warranty
- Order # TC204 AL (Aluminum)
Order # TC204 DU-(Duronotic)
Model # TC 204
Body Length 9 7/8"
CTC Hole Pattern 9 1/16" x 3/4"



Grade 3

- UL listed compliant UL10C for positive pressure
 - Aluminum alloy body
 - Non-handed- reversible
 - Packed standard for regular & top jamb mounting
 - Supplied with both wood and machine screws
 - 10 year manufacturer's warranty
- Order # TC2204 AL (Aluminum)
Order # TC2204 DU-Duronotic
Model # TC 2204
Body Length 9 7/8"
CTC Hole Pattern 9 1/16" x 3/4"



Finishes

US5-	AB	US10B-	OB
US3-	BB	Jet Black-	JB
US26D-	SC	White-	WH
US15-	SN	Special Finish-MG	
US26-	BC	(Marine Grade)	